Table 56-- Ages at Death, First and Readmissions Dying, 1944, by Diagnosis and Sex: Averages in Years

Diagnoses	Total Deaths						First Admissions						Readmissions					
	Number			Average Age			Number			Average Age			Number			Average Age		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
Senile psychoses	262	351	613	79.1	79.7	79.5	232	317	549	79.5	79.8	79.7	30	34	64	76.9	78.5	77.7
With cerebral arteriosclerosis	394	340	734	98.8	75.0	74.2	355	307	662	73.5	74.9	74.2	39	33	72	72.6	76.1	74.2
Paranoia and paranoid conditions	10	26	36	63.0	69.3	67.6	8	14	22	60.6	76.8	70.9	2	14	16	72.5	61.7	63.1
Undiagnosed psychoses	3	1	4	57.5	57.5	57.5	1	1	2	82.5	57.5	70.0	2	-	2	45.0	-	45.0
Due to drugs, etc.	2	-	2	67.5	-	67.5	1	-	1	67.5	-	67.5	1	-	1	67.5	-	67.5
Psychoneuroses	7	7	14	56.9	58.2	56.5	5	5	10	67.5	64.5	66.0	2	2	4	37.5	42.5	40.0
With psychopathic personality	5	4	9	52.5	67.5	59.1	2	1	3	57.5	82.5	65.8	3	3	6	49.1	62.5	55.8
Traumatic psychoses	9	-	9	63.0	-	63.0	8	-	8	63.1	-	63.1	1	-	1	62.5	-	62.5
With other disturbances of circulation	10	27	37	67.0	60.6	62.3	10	25	35	67.0	61.1	62.7	-	2	2	-	55.0	55.0
Alcoholic psychoses	73	14	87	61.6	66.0	62.3	50	11	61	60.1	68.4	61.5	23	3	26	65.1	57.5	64.2
With other forms of syphilis	9	5	14	59.1	64.5	61.0	7	5	12	58.9	64.5	61.2	2	-	2	60.0	-	60.0
With organic changes of nervous system	70	39	109	58.2	59.2	58.6	61	33	94	59.8	60.2	59.9	9	6	15	47.5	54.1	50.1
Manic-depressive psychoses	44	59	103	62.3	61.2	61.7	21	19	40	59.4	58.0	58.7	23	40	63	65.1	62.7	63.6
Involutional psychoses	18	35	53	62.2	60.9	61.3	11	23	34	61.1	57.5	58.6	7	12	19	63.9	67.5	66.1
Dementia praecox	180	214	394	54.1	63.2	59.0	98	107	205	53.1	61.8	57.6	82	107	189	55.4	64.6	60.6
Due to other metabolic diseases, etc.	23	22	45	59.2	52.9	56.1	21	18	39	59.6	53.3	56.7	2	4	6	55.0	51.2	52.5
With mental defeciency	36	39	75	51.5	55.7	53.7	22	20	42	53.6	54.5	54.0	14	19	33	48.2	56.9	53.2
With syphilitic meningo-encephalitis	88	23	111	54.6	52.5	54.1	70	19	89	53.9	52.7	53.6	18	4	22	57.2	51.2	56.1
Due to new growth	7	8	15	51.7	53.1	52.5	6	7	13	52.5	51.1	51.7	1	1	2	47.5	67.5	57.5
With convulsive disorders (epilepsy)	28	31	59	47.3	56.2	52.0	16	18	34	47.5	54.7	51.3	12	13	25	47.0	58.2	52.9
With other infectious diseases	4	4	8	53.7	47.5	50.6	4	4	8	53.7	47.5	50.6						
Without psychoses	9	7	16	45.8	56.7	50.6	7	6	13	43.2	53.3	47.8	2	1	3	55.0	77.5	62.5
With epidemic encephalitis	6	5	11	38.3	47.5	42.5	5	4	9	35.5	42.5	38.6	1	1	2	52.5	67.5	60.0
Total with Mental Disorder	1,268	1,256	2,544	66.3	69.9	68.0	1,014	958	1,972	67.7	71.2	69.4	274	298	572	61.0	65.5	63.4
Total without Mental Disorder	9	7	16	45.8	56.7	50.6	7	6	13	43.2	53.3	47.8	2	1	3	55.0	77.5	62.5
Grand Total:	1,297	1,263	2,560	66.1	69.8	67.9	1,021	964	1,985	67.5	71.1	69.3	276	299	575	61.0	65.6	63.4

(See Tables 182 and 183 for detail)